125, Avenue du Pesage – 1050 Ixelles
1, Avenue de Tchéquie – 1420 Braine l'Alleud
02/649 71 05
digitaldentists@gmail.com
http://www.cabinetdupesage.be
http://www.dentistebraine.be

ORAL SURGERY & IMPLANT PLACEMENT

BEFORE THE SURGERY

!!!!!	No alcohol or cigarettes. Stop smoking 3 months before the surgery.
Antibiotics 500mg	In case of implant placement or bone grafting : 4 medicines 1 hour before the surgery.
Dafalgan 1g	1 medicine 1 hour before the surgery.
Dental care	Have a scaling a few days before the surgery (if necessary).
Mouthwash	3 times a day for 1 minute (from the day before the surgery).
Food	Eat normally.

AFTER THE SURGERY

	D Day	Day +1	Day +2	Day +3	Day +4 → +7	Day +10	Day +21
!!!!!	- Do not spit or rinse. - No alcohol or cigarettes.	No alcohol or cigarettes.	No alcohol or cigarettes.	No alcohol or cigarettes.	No alcohol or cigarettes.	No cigarettes.	No cigarettes.
Antibiotics 500mg	1 medicine every 8 hours after the initial dose.	1 medicine every 8 hours.	1 medicine every 8 hours.	1 medicine every 8 hours.	1 medicine every 8 hours.		
Ibuprofène 600 mg	1 medicine at each meal. Maximum 3 medicines a day.	1 medicine at each meal.	1 medicine at each meal.	1 medicine at each meal.	No unless pain or swelling.		
Dafalgan 1g	1 medicine when the anaesthetic wears off. Maximum 3 medicines a day.	1 medicine 3 times a day between meals.	1 medicine 3 times a day between meals.	No unless pain.	No unless pain.		

	D Day	Day +1	Day +2	Day +3	Day +4 → +7	Day +10	Day +21
Dental care	No brushing.	Careful brushing but not on the operated area.	Normal brushing.				
Mouthwash (Eludril, Corsodyl, Perio-Aid)	No.	Once in the evening for 1 minute. Do not rinse.	3 times a day for 1 minute. Do not rinse.	3 times a day for 1 minute. Do not rinse.	3 times a day for 1 minute. Do not rinse.	3 times a day for 1 minute. Do not rinse.	3 times a day for 1 minute. Do not rinse.
Elugel	No.	No.	Yes : 3 times a day on the operated area after brushing.	Yes : 3 times a day on the operated area after brushing.	Yes : 3 times a day on the operated area after brushing.	Yes : 3 times a day on the operated area after brushing.	
Food	Liquid and cold.	Liquid and cold.	Soft and lukewarm.	Normal but not too hot. Chew on the opposite side.	Normal. Chew on the opposite side.	Normal.	

If you have any further questions, please do not hesitate to contact us on the following number : 02/649 71 05